

TECHNICAL DATA SHEET

Business Machines & Supplies - Calculators



GENERAL INFORMATION

KF number	KF14380
Description	Scientific calculator
Country of origin	China
Intrastat number	84701000
Customs code	8470100000
Eclass	24320502
Materials	ABS
Legislations	CE UKCA List of importers

TECHNICAL INFORMATION

Display: 1-line 10+2 digits (Mantissa + EXP)

Functions:: Parentheses

Functions:: Fractions

Functions:: Trigonometrics + Inverse Trigonometrics

Functions:: Hyperbolic + inverse Hyperbolic

Functions:: Sexagesimal calculations

Functions:: Decimal conversions

Functions:: Factorial

Functions:: Permutation & combination

Functions:: Base-n calculations

Functions:: Logical operations

Functions:: Logarithms & exponent

Functions:: Square & square root

Functions:: Roots & powers

Functions:: Reciprocal

Functions:: Coordinate transformation

Functions:: ENG conversion

Functions:: Quadratic equation

Functions:: Simultaneous equations

Functions:: Cubic equations

Functions:: Statistical calculations (Mean/Variance/Standard deviation)

Material: ABS (60% recycled plastic used)

Memories: 1

Number of functions: 145 integrated functions

Plastic cover: Yes

Power supply: Battery powered (LR1130 x2)

Unit size: 153 x 78 x 18mm

PACKAGING INFORMATION

Barcode 570583114380

BOSS notation Pack 1

Packaging contents 1

Weight in KG 0,14KG

Length 15,8 cm

Height 3,2 cm

Width 8,3 cm

Barcode 570600214380

BOSS notation 10 x Pack 1

Packaging contents 10

Weight in KG 1,583KG

Length 33 cm

Height 9,3 cm

Width 16,8 cm

Barcode 570600314380

BOSS notation 6 x 10 x Pack 1

Packaging contents 60

Length 35 cm

Height 30,5 cm

Width 36,5 cm



Weight in KG 10,3KG

Please note that weights and dimensions are indicative and can have slight variations due to each own manufacturing

COMMENTS & NOTES

Q-Connect 1-line scientific Calculator. Battery supply power. 10 digit display. 145 integrated functions. 1-variable statistics. Trigonometric functions (RAD/GRAD), Inverse functions. Basic calculations of fractions. Has a plastic cover. Dimensions - 191x145x49mm. Battery included.